HCA Healthcare
Center for Clinical Advancement
NC Division

MISSION HEALTH


November 16, 2026

Clinical Reminders

Your New SharePoint Home Page

NOW LIVE 11/9

Original North Carolina Division quick guide — preserved as supplied



CONFIDENTIAL – Contains proprietary information. Not intended for external distribution.

Clinical Reminders

Blood Product Handling Reminders

EDUCATION BOOST

Patient Safety | Updated 10/29/26

Before requesting blood products

Personally verify the order and consent PRIOR TO requesting blood products.

If the transfusion is canceled or delayed

If transfusion canceled or delayed after dispense, IMMEDIATELY call blood bank for guidance. Blood may be salvageable.

If blood is delivered in a cooler

- Do NOT remove unless transfusion imminent.
- If removed, and transfusion canceled, call blood bank for guidance.
- Coolers are packed in a very specific manner and must be maintained as such. Do not rearrange contents.
- Blood products may only be kept in designated blood refrigerators or coolers.





Clinical Reminders

Zoll Pediatric Defibrillator Pads

SUPPLY UPDATE

Temporary substitution — backorder | Return date TBD

Product transition

Current backordered product: Zoll Pediatric Defibrillator Pads, manufacturer #8900-000220-01.

Temporary substitute: Zoll Pediatric Defibrillator Pads, manufacturer #8900-000381-01.

Zoll will automatically substitute the replacement product on affected purchase orders. No estimated release date has been provided for the original product.

Visual comparison — current vs. substitute

CURRENT — BACKORDERED



TEMPORARY SUBSTITUTE



How to recognize the substitute

- Smaller pad design while maintaining the same conductive area.
- Smaller cardiopulmonary resuscitation (CPR) sensor size.
- Textured surface on the anterior sensor to help reduce slippage.
- Pink outer label for easy identification as a pediatric electrode.

CONFIDENTIAL – Contains proprietary information. Not intended for external distribution.

Clinical Reminders

HCA Healthcare Center for Clinical Advancement NC Division

MISSION HEALTH

PROCESS UPDATE | B3 SOUTH

New B3 South Patient Selection Process

Complex discharge patient selection and transfer workflow

AUDIENCE	GO LIVE
Case Management, B3 Leadership, sending units, providers	11/24/26

WHAT IS NEW

NEW PATIENT SELECTION Case Management will identify complex discharge patients and provide the list to B3 South Leadership.

ORDER CHANGE A discharge order is NOT required to move to B3 South. The provider MUST be notified and agree to transfer if there is not a discharge order.

STEP-BY-STEP WORKFLOW

01	IDENTIFY + SHARE | NEW	Case Management identifies patients with complex discharge needs and sends the list to B3 South Leadership.
02	REVIEW CANDIDACY	B3 South Leadership contacts the patient's current unit to determine whether the patient is a B3 South candidate.
03	SCREEN FOR EXCLUSIONS	Patients on Contact Plus or Airborne precautions are NOT B3 South candidates.
04	NOTIFY THE PROVIDER	The provider must be notified about the move to B3 South. A discharge order is not required.
05	PREPARE + TRANSFER	The sending unit prepares the patient for transfer. Follow the existing transfer process; it is unchanged.

BEFORE THE MOVE: QUICK CHECK

- Contact Plus/Airborne excluded • Provider notified • Sending unit prepares the patient
- Questions about candidacy: Contact B3 South Leadership.

CONFIDENTIAL – Contains proprietary information. Not intended for external distribution.

Clinical Reminders

Adult Seizure PowerPlan Updates

GO LIVE DEC 1

Adult Seizure Treatment Plan + Phenytoin/Fosphenytoin Plan | Go-Live 12/1/26

What nurses need to know: Updated PowerPlans clarify nursing stabilization/monitoring, medication administration, treatment-phase timing, and ICU continuous-sedation guidance.

AUDIENCE Nurses caring for adult patients where these PowerPlans are used. WHY Improve clarity and alignment of dose, timing, monitoring, and status-epilepticus treatment guidance.

Adult Seizure Treatment Plan

- New nursing stabilization orders and monitoring.
- Clear 5-, 10-, 10-, 30-, 30-, and 60-minute treatment phases.
- Updated seizure-medication doses and administration instructions.
- ICU guidance for propofol, midazolam, ketamine, and pentobarbital.
- Nurse-directed re-bolus and titration instructions.
- No sedation holidays during refractory status epilepticus.
- Updated seizure treatment flowchart and clearer anti-seizure medication level guidance.

Phenytoin/Fosphenytoin Plan

- Separate loading-dose options for status and non-status seizures.
- Updated weight-based dosing and infusion rates.
- More specific blood-pressure monitoring; reduce the infusion rate for low blood pressure as directed.
- Updated phenytoin-level timing and reduced maintenance-dosing criteria.
- Clarified pharmacy rounding and weight calculations.
- Outdated statements removed; links return to the parent Seizure PowerPlan for abortive benzodiazepine options.

Important reinforcement

Some points reinforce existing practice rather than introduce new functionality. Prior IV push Keppra education remains applicable. Follow the updated PowerPlan instructions at go-live.

CONFIDENTIAL – Contains proprietary information. Not intended for external distribution.