

Change in Patient Condition: Documentation

Step 1: Recognize and Document the Change

- Promptly recognize and document any significant change in patient status (e.g., variance in vital signs, altered level of consciousness, new-onset chest pain).
- The primary documentation must be completed within the relevant **I-View Band** of the Electronic Health Record (EHR).

Step 2: Escalation to Appropriate Provider

- Immediately escalate the patient's critical change to the appropriate provider.
- This notification must be documented in the PowerChart Notifications Band. Documentation is essential to demonstrate clinical compliance regarding timely interdisciplinary communication.

Step 3: Document All Interventions

- Accurately record all subsequent clinical actions taken in response to the change.
- This includes, but is not limited to, the activation and notification of specialized teams, such as the Rapid Response Team (RRT).

Patient Rights

- ❑ All patients have the right to be free from physical or mental abuse, and corporal punishment.
- ❑ All patients have the right to be free from restraint, of any form, imposed as a means of coercion, discipline, convenience or retaliation by staff.
- ❑ When the use of restraint is necessary, the least restrictive method must be used to ensure a patient's safety
- ❑ Restraint may only be imposed to ensure the immediate physical safety of the patient, a staff member, or others and must be discontinued at the earliest possible time.
 - The use of restraint for the management of patient behavior should not be considered a routine part of care.
 - Orders for the use of restraint or seclusion must never be written as a standing order or on an as needed basis (PRN).

A violation of any of these patients' rights constitutes an inappropriate use of restraint.



Policy: Patient Restraint/Seclusion, COG.COG.001

Updated: 10/20/25

CONFIDENTIAL – Contains proprietary information.
Not intended for external distribution.

HCA  **Healthcare®**
**Center for Clinical
Advancement
NC Division**

Mission Hospital: Nightshift Crash Cart restocking process

Go-Live: 10/27/2025

To ensure immediate readiness, all units will maintain a minimum of two crash carts, with a new night shift process implemented for locking and restocking used carts after 0600.

- ❑ **Each unit will be provided a minimum of 2 Crash Carts.**
- ❑ **Supply Chain Techs** will be added to the **Code Blue broadcast** for awareness on night shifts.
 - The **Equipment Team** will review broadcasts each morning to locate and replace used crash carts/drawers.

Staff Action (Night Shift)

- ❑ After a code, the **used crash cart must be locked** immediately.
- ❑ **Numbered locking tags** are found in the top drawer of the cart.
- ❑ Keep the locked, used crash cart at the **front of the nursing unit**.
- ❑ Crash cart exchange and restocking will be handled by the Equipment Team **after 0600**.
- ❑ If a unit requires a third crash cart on the night shift, immediately notify the House Supervisor to coordinate retrieval.

Hazardous Handling Category – A

Low Risk: Primarily Oral Solids

Administration Instructions:

Wear one pair of chemo gloves to administer

Cutting/crushing/opening tablets/capsules: treat as
Category B →

Hazardous Handling Category – B


Medium Risk: Primarily liquid dosage forms, topicals, and
crushed or manipulated oral solids

Administration Instructions:

Wear two pairs of chemo gloves to administer

Cutting/crushing/opening tablets/capsules is
allowed. Use two pouches or bags to contain and
wear two pairs of gloves. Clean thoroughly
afterwards wearing two pairs of chemo gloves.

Wear an N95 mask if inhalation is likely



Hazardous Handling Category – C

High Risk: Primarily Antineoplastic injections and
infusions

Administration Instructions:

Wear two pairs of chemo gloves and a chemo gown to administer

Wear an N95 mask if inhalation is likely

All Hazardous Drugs

Always wear goggles or face shield if splashing is likely

Wash hands after removing gloves

Use an Orange Top Wipe (Bleach)* to clean any area that
may have become contaminated

Category A: Single pair gloves

Category B: Double pair gloves

Consider wearing an N95 mask if dust/inhalation is likely

Refer to HD Spill Management Policy for spills

You may choose to wear more PPE¹ than the minimum
required

If you have any questions or concerns, contact your
supervisor or pharmacy

*Clean Phenol spills with 70% Isopropyl Alcohol

¹PPE: Personal Protective Equipment

HAZARDOUS DRUG LIST & HANDLING CATEGORIES

HD	Dosage Form	Rx RN
ABACAVIR	ORAL LIQUID	B
	TAB/CAP	A
ABACAVIR/DOLUTEGRAVIR/LAMIVUDINE	TAB/CAP	A
ABACAVIR/LAMIVUDINE/ZIDOVUDINE	TAB/CAP	A
ABIRATERONE	TAB/CAP	C
ADO-TRASTUZUMAB EMTANSINE	INJECTION/INFUSION	C
AMBRISENTAN	TAB/CAP	A
ANASTROZOLE	ORAL LIQUID	B
	TAB/CAP	A
ARSENIC TRIOXIDE	INJECTION/INFUSION	C
AZACITIDINE	INJECTION/INFUSION	C
AZATHIOPRINE	TAB/CAP	A
	ORAL LIQUID	B
BCG	INJECTION/INFUSION	C
BENDAMUSTINE	INJECTION/INFUSION	C
BEXAROTENE	TAB/CAP	A
	TOPICAL	B
BICALUTAMIDE	TAB/CAP	A
BLEOMYCIN	INJECTION/INFUSION	C
BLINATUMOMAB	INJECTION/INFUSION	C
BORTEZOMIB	INJECTION/INFUSION	C
BOSENTAN	TAB/CAP	A
	ORAL LIQUID	B
BRENTUXIMAB VEDOTIN	INJECTION/INFUSION	C
BUSULFAN	TAB/CAP	A
CABAZITAXEL	INJECTION/INFUSION	C
CAPECITABINE	TAB/CAP	A
CARBAMAZEPINE	TAB/CAP	A
	ORAL LIQUID	B
CARBOPLATIN	INJECTION/INFUSION	C
CARFILZOMIB	INJECTION/INFUSION	C
CARMUSTINE	IMPLANT WAFER	B
CHLORAMBUCIL	TAB/CAP	A
CHLORAMPHENICOL	INJECTION/INFUSION	C
CHORIONIC GONADOTROPIN (HCG)	INJECTION/INFUSION	B
CIDOFOVIR	INJECTION/INFUSION	C
CISPLATIN	INJECTION/INFUSION	C
CLADRIBINE	INJECTION/INFUSION	C
CLOBAZAM	TAB/CAP	A
	ORAL LIQUID	B
CLOFARABINE	INJECTION/INFUSION	C
CLOMIPHENE	TAB/CAP	A
CLONAZEPAM	TAB/CAP	A
COLCHICINE	TAB/CAP	A
CONJUGATED ESTROGENS	INJECTION/INFUSION	B
	TAB/CAP	A
	TOPICAL	B
CYCLOPHOSPHAMIDE	TAB/CAP	A
CYCLOSPORINE	TAB/CAP	A
	OPHTHALMIC	B
	ORAL LIQUID	B
CYTARABINE	INJECTION/INFUSION	C
CYTARABINE-DAUNORUBICIN LIPOSOMAL	INJECTION/INFUSION	C
DACARBAZINE	INJECTION/INFUSION	C
DACTINOMYCIN	INJECTION/INFUSION	C
DAUNORUBICIN	INJECTION/INFUSION	C
DECITABINE	INJECTION/INFUSION	C
DEGARELIX	INJECTION/INFUSION	B C
DESOGESTREL-ETHINYL ESTRADIOL	TAB/CAP	A
DEXRAZOXANE	INJECTION/INFUSION	C
DICLOFENAC-MISOPROSTOL	TAB/CAP	A
DIHYDROERGOTAMINE	INJECTION/INFUSION	B
DINOPROSTONE	SUPPOSITORY	B
DIVALPROEX SODIUM	TAB/CAP	A
DOCETAXEL	INJECTION/INFUSION	C
DOXORUBICIN	INJECTION/INFUSION	C
DOXORUBICIN LIPOSOMAL	INJECTION/INFUSION	C
DRONEDARONE	TAB/CAP	A
DROSPIRENONE-ETHINYL ESTRADIOL	TAB/CAP	A
DUTASTERIDE	TAB/CAP	A
ENFORTUMAB VEDOTIN	INJECTION/INFUSION	C
ENTECAVIR	TAB/CAP	A
EPIRUBICIN	INJECTION/INFUSION	C
ERIBULIN	INJECTION/INFUSION	C
ERLOTINIB	TAB/CAP	A
ESLICARBAZEPINE	TAB/CAP	A

HD	Dosage Form	Rx RN
ESTERIFIED ESTROGENS-METHYLTESTOSTERONE	TAB/CAP	A
ESTRADIOL	TAB/CAP	A
	PATCH	B
	INJECTION/INFUSION	B
ETHINYL ESTRADIOL-ETHYNODIOL	TAB/CAP	A
ETHINYL ESTRADIOL-LEVONORGESTREL	TAB/CAP	A
ETHINYL ESTRADIOL-NORETHINDRONE	TAB/CAP	A
ETHINYL ESTRADIOL-NORGESTIMATE	TAB/CAP	A
ETONOGESTREL	IMPLANT	B
ETOPOSIDE	TAB/CAP	A
	INJECTION/INFUSION	C
EVEROLIMUS	TAB/CAP	A
EXEMESTANE	TAB/CAP	A
FAM-TRASTUZUMAB DERUXTECAN	INJECTION/INFUSION	C
FINASTERIDE	TAB/CAP	A
FLOXURIDINE	INJECTION/INFUSION	C
FLUCONAZOLE	INJECTION/INFUSION	B
	ORAL LIQUID	B
	TAB/CAP	A
FLUDARABINE	INJECTION/INFUSION	C
FLUOROURACIL	INJECTION/INFUSION	C
	TOPICAL	B
FOSPHENYTOIN	INJECTION/INFUSION	B
FULVESTRANT	INJECTION/INFUSION	B C
GANCICLOVIR	OPHTHALMIC	B
	INJECTION/INFUSION	C
GEMCITABINE	INJECTION/INFUSION	C
GEMTUZUMAB	INJECTION/INFUSION	C
GOSERELIN	IMPLANT INJECTION	B C
	ORAL LIQUID	B
HYDROCHLOROTHIAZIDE-SPIRONOLACTONE	TAB/CAP	A
	INJECTION/INFUSION	B
HYDROXYPROGESTERONE	ORAL LIQUID	B
	TAB/CAP	A
HYDROXYUREA	ORAL LIQUID	B
IDARUBICIN	ORAL LIQUID	B
	TAB/CAP	A
IFOSFAMIDE	INJECTION/INFUSION	C
IMATINIB	TAB/CAP	A
INOTUZUMAB OZOGAMICIN	INJECTION/INFUSION	C
IRINOTECAN	INJECTION/INFUSION	C
IRINOTECAN LIPOSOMAL	INJECTION/INFUSION	C
IVABRADINE	TAB/CAP	A
IXABEPILONE	INJECTION/INFUSION	C
LAMIVUDINE-ZIDOVUDINE	TAB/CAP	A
LEFLUNOMIDE	TAB/CAP	A
LENALIDOMIDE	TAB/CAP	A
LETROZOLE	TAB/CAP	A
LEUPROLIDE	INJECTION/INFUSION	B C
	TAB/CAP	A
LEVONORGESTREL	TAB/CAP	A
	IUD	B
LOMUSTINE	TAB/CAP	A
LURBINECTEDIN	INJECTION/INFUSION	C
MACITENTAN	TAB/CAP	A
MECHLORETHAMINE	INJECTION/INFUSION	C
MEDROXYPROGESTERONE	INJECTION/INFUSION	B
	TAB/CAP	A
MEGESTROL	ORAL LIQUID	B
	TAB/CAP	A
MELPHALAN	TAB/CAP	A
MERCAPTOPURINE	TAB/CAP	A
	ORAL LIQUID	C
METHIMAZOLE	TAB/CAP	A
METHOTREXATE	TAB/CAP	A
METHYLERGONOVINE	INJECTION/INFUSION	B
	TAB/CAP	A
MIRVETUXIMAB SORAVTANSINE	INJECTION/INFUSION	C
MISOPROSTOL	TAB/CAP	A
MITOMYCIN	OPHTHALMIC	C
MITOXANTRONE	INJECTION/INFUSION	C
MYCOPHENOLATE MOFETIL	ORAL LIQUID	B
	TAB/CAP	A
MYCOPHENOLIC ACID	TAB/CAP	A
NAFARELIN	INHALATION	B
NELARABINE	INJECTION/INFUSION	C
NEVIRAPINE	TAB/CAP	A
	ORAL LIQUID	B

HD	Dosage Form	Rx RN
NILOTINIB	TAB/CAP	A
NORETHINDRONE	TAB/CAP	A
OXALIPLATIN	INJECTION/INFUSION	C
OXCARBAZEPINE	TAB/CAP	A
	ORAL LIQUID	B
OXYTOCIN	INJECTION/INFUSION	B
PACLITAXEL	INJECTION/INFUSION	C
PACLITAXEL PROTEIN-BOUND	INJECTION/INFUSION	C
PAMIDRONATE	INJECTION/INFUSION	B
PAROXETINE	TAB/CAP	A
	ORAL LIQUID	B
PEMETREXED	INJECTION/INFUSION	C
PENTOSTATIN	INJECTION/INFUSION	C
PHENOL	TOPICAL LIQ	B
PHENOXYBENZAMINE	TAB/CAP	A
PHENYTOIN	TAB/CAP	A
	INJECTION/INFUSION	B
	ORAL LIQUID	B
POLATUZUMAB VEDOTIN	INJECTION/INFUSION	C
PRALATREXATE	INJECTION/INFUSION	C
PROCARBAZINE	TAB/CAP	A
PROGESTERONE	TAB/CAP	A
PROPYLTHIOURACIL	TAB/CAP	A
RALOXIFENE	TAB/CAP	A
RASAGILINE	TAB/CAP	A
RIBAVIRIN	TAB/CAP	A
	INHALATION	B
RIOCIGUAT	TAB/CAP	A
ROMIDEPSIN	INJECTION/INFUSION	C
SACITUZUMAB GOVITECAN	INJECTION/INFUSION	C
SIROLIMUS	ORAL LIQUID	B
	TAB/CAP	A
SPIRONOLACTONE	TAB/CAP	A
	ORAL LIQUID	B
STREPTOZOCIN	INJECTION/INFUSION	C
TACROLIMUS	TAB/CAP	A
	INJECTION/INFUSION	B
	ORAL LIQUID	B
TAMOXIFEN	TAB/CAP	A
TEMAZEPAM	TAB/CAP	A
TEMOZOLOMIDE	TAB/CAP	A
TEMSIROLIMUS	INJECTION/INFUSION	C
TESTOSTERONE	INJECTION/INFUSION	B
THALIDOMIDE	TAB/CAP	A
THIOGUANINE	TAB/CAP	A
THIOTEPA	INJECTION/INFUSION	C
TISOTUMAB VEDOTIN	INJECTION/INFUSION	C
TOPIRAMATE	TAB/CAP	A
TOPOTECAN	INJECTION/INFUSION	C
TRABECTEDIN	INJECTION/INFUSION	C
TRETINOIN	TAB/CAP	A
TRIFLURIDINE	OPHTHALMIC	B C
TRIPTORELIN	INJECTION/INFUSION	B C
ULIPRISTAL	TAB/CAP	A
VALGANCICLOVIR	TAB/CAP	A
	ORAL LIQUID	B
VALPROIC ACID	TAB/CAP	A
	ORAL LIQUID	B
	INJECTION/INFUSION	B
VALRUBICIN	IRRIGATION	C
VINBLASTINE	INJECTION/INFUSION	C
VINCISTINE	INJECTION/INFUSION	C
VINORELBINE	INJECTION/INFUSION	C
VORICONAZOLE	TAB/CAP	A
	OPHTHALMIC	B
	INJECTION/INFUSION	B
	ORAL LIQUID	B
VORINOSTAT	TAB/CAP	A
WARFARIN	TAB/CAP	A
ZIDOVUDINE	ORAL LIQUID	B
	INJECTION/INFUSION	B
	TAB/CAP	A
ZIPRASIDONE	TAB/CAP	A
	ORAL LIQUID	B
ZIPRASIDONE	INJECTION/INFUSION	B
ZIV-AFLIBERCEPT	INJECTION/INFUSION	C
ZOLEDRONIC ACID	INJECTION/INFUSION	B
ZONISAMIDE	TAB/CAP	A
	ORAL LIQUID	B