
Clinical Reminders

EDUCATION BOOST
WOUND & SKIN

PIP Tip: Wound Photos

iMobile photo workflow



- **Photos taken within the app DO NOT upload to the EMR**
- **Complex wounds, new pressure injuries, PI stage 3 and above: notify wound team about photos**

Photos taken within the app DO NOT upload to the EMR. For complex wounds, new pressure injuries, and pressure injuries stage 3 and above, notify the wound team about photos.

Clinical Reminders


GO LIVE NOV 9

MOD Retirement - Accessing the New Medication Calculator Links


Cerner build update

- MOD is being retired.
- The "Clinical Resources" button in the toolbar is being removed and replaced with links to (1) LexiDrug and (2) the new SharePoint Med Calculator page.
- Users can continue to access Med Dosing Calculators via PowerPlan links and Reference Text links; those links are being updated to point to the new SharePoint med calculator link.


CURRENT STATE - Toolbar




FUTURE STATE - Toolbar



FUTURE STATE - SharePoint Med Calculators



NOT CHANGING - PowerPlan Access



Not changing: PowerPlans and Reference Text continue to be accessed the same way; only the link endpoint is changing.

Clinical Reminders

EDUCATION BOOST

Insulin Answers! Rapid Facts

Meal & Correction Insulin

Goal: Insulin given within 30 minutes of CBG and meal tray arrival.





Safety pearls: Do not give MEAL insulin if the tray is delayed or the patient is not eating. Give CORRECTION insulin regardless of NPO. Reassess CBG if the meal is delayed >30 minutes. “HOVER” over MAR orders for rapid-acting insulin dose accuracy.