

➤ Select your patient from the list and select **Remove**

All Available Patients

Last Name: pyxis | First Name: | Visit ID: | Search | Available Patients

Name	Visit ID	Location
PyxisCMC, Inpatient1A 26 y (9/9/1999) F	R00000014672	R.4NORTH R.433/A
PyxisCMC, Inpatient3 23 y (3/3/2003) F	R00000014681	R.4NORTH R.429/A
PyxisCMC, Inpatient3 23 y (3/3/2003) F	R00000014699	R.5NORTH R.535/A
PyxisCMC, Inpatient4 28 y (7/7/1997) F Undocumented Waste	R00000014702	R.6NORTH R.637/A

Remove | Past Removed | Waste | Return | Override | My Patients | Add Temporary Patient

➤ Select your insulin order from the list

- There will be a popup. Scroll through the top box to determine how many units to remove.
- Enter how many units you wish to remove and select **OK**

Med Profile

PyxisCMC, Inpatient4 (R00000014702)
28 y (7/7/1997) F | Location: R.6NORTH R.637/A | Status: Admitted | Allergies: No Known Allergies

Due Now | PRN (1) | All Orders

Name/Dose	Due	Name/Dose	Due
Dose: 1 TAB PO Frequency: Q4HR (06:00, 09:00, 09:00, 12:00, 16:00, ...) Last Removed: Never			
cloNIDine (Catapres-TTS 2) 0.2 mg Patch Dose: 1 PATCH Transderml Frequency: Q7D Last Removed: Never			
Insulin, Lispro (Admelog) 100 unit/1 mL (3 mL) Injection Dose: 0 unit SUBQ Frequency: AC + BEDTIME (06:00, 11:00, 16:00, ... 16:00) Last Removed: 300 unit Injection 5/13/2026 09:51 TEST, USER Administration Instructions: Blood sugar 150-199 mg/dl=1 unit, Blood sugar 200-249 mg...			
Milrinone/Dextrose 5% (200mcg/mL) (Primacor Drip) 20 mg (100 mL) Bag Dose: 100 mL IV Frequency: TITRATE Last Removed: Never			
Morphine PCA 1 mg/1 mL (30 mL) PCA Dose: 30 mL IV Frequency: AS DIRECTED			

Past Removed | Override | System Kits | Cancel | Remove Med

Insulin, Lispro (Admelog) 100 unit/1 mL (3 mL) Injection
Dose: 0 unit SUBQ
Last Removed: 300 unit Injection 5/13/2026 09:51 TEST, USER

Administration Instructions: Blood sugar 150-199 mg/dl=1 unit
Blood sugar 200-249 mg/dl=2 unit
Blood sugar 250-299 mg/dl=3 unit
Low dose sliding scale-for thin, elderly, or renal patients

How much do you need?

2 unit

Cancel | OK

➤ Select **Remove Med** on the med profile screen

Med Profile

PyxisCMC, Inpatient4 (R00000014702)
28 y (7/7/1997) F Location: R.6NORTH R.637/A Status: Admitted Allergies: No Known Allergies

Due Now PRN (1) All Orders

Name/Dose	Due	Name/Dose	Due
Dose: 1 TAB PO Frequency: Q4HR (06:00, 08:00, 08:00, 12:00, 16:00, ...) Last Removed: Never		Insulin, Lispro (Admelog) 2 unit SUBQ (100 unit/1 mL (3...)	16:00
clonidine (Catapres-TTS 2) 0.2 mg Patch Dose: 1 PATCH Transderml Frequency: Q7D Last Removed: Never			
Insulin, Lispro (Admelog) 100 unit/1 mL (3 mL) Injection Dose: 0 unit SUBQ Frequency: AC + BEDTIME (06:00, 11:00, 16:00, ...) Last Removed: 300 unit Injection 5/13/2026 09:51 TEST, USER Administration Instructions: Blood sugar 150-199 mg/dl=1 unit, Blood sugar 200-249 mg...	16:00		
Milrinone/Dextrose 5% (200mcg/mL) (Primacor Drip) 20 mg (100 mL) Bag Dose: 100 mL IV Frequency: TITRATE Last Removed: Never			
Morphine PCA 1 mg/1 mL (30 mL) PCA Dose: 30 mL IV Frequency: AS DIRECTED			

Past Removed Override System Kits Cancel **Remove Med**

➤ Verify dosage information is correct and select **Accept**

- Draw up dose and remove barcode label. Place vial back in pocket and close.
- If dose is incorrect, select **Cancel Med**

Remove

PyxisCMC, Inpatient4 (R00000014702)
28 y (7/7/1997) F Location: R.6NORTH R.637/A Status: Admitted Allergies: No Known Allergies

Insulin, Lispro (Admelog)
2 unit SUBQ (100 unit/1 mL (3...)

Insulin, Lispro (Admelog) 100 unit/1 mL (3 mL) Injection
Dose: 2 unit
Last Removed: 300 unit Injection 5/13/2026 09:51 TEST, USER

Administration Instructions: Blood sugar 150-199 mg/dl=1 unit
Blood sugar 200-249 mg/dl=2 unit
Blood sugar 250-299 mg/dl=3 unit
Low dose sliding scale for thin, elderly

Remove 1 Injection
From **REMOTE_STOCK-Pkt 5**
Administer 2 unit = 0.02 mL
Remainder: 298 unit = 2.98 mL

Remove amount greater than ordered amount

Cancel Med **Accept**

Removing Medication set up as a Combo Med – PROFILE ORDERS ONLY

- Select your patient from the list or use **Facility Search** to find your patient
- Select **Remove**

Name	Visit ID	Location
Pyxis, Inpatient3A 58 y (2/18/1966) F	K00000031950	K.4WEST K.449/A
Pyxis, ERFULL1 64 y (6/22/1960) F	K00000032000	K.4MAIN K.422/A
Pyxis, Inpatient1 36 y (5/18/1988) M	K00000031933	K.3WEST K.306/A
Pyxis, Inpatient2 36 y (4/18/1988) F	K00000032484	K.4MAIN K.424/A
Pyxis, Inpatient4 74 y (5/14/1950) M	K00000031968	K.4MAIN K.425/A
Pyxis, OBS 58 y (1/30/1966) M	K00000032034	K.4MAIN K.416/A
Pyxis, Restricted 69 y (4/18/1955) F	K00000032051	K.3MAIN K.327/A
Pyxis, SDS 69 y (5/18/1955) M	K00000032450	K.3WEST K.3WDL/A

Buttons: Remove, Past Removed, Waste, Return, Override, My Patients, Add Temporary Patient

- Select the order from the patient profile you need to remove from the list or type in the 5-character search ID in the search bar
 - Once you have made your selection, the corresponding key and medication will populate on the right of the screen
- Select **Remove Med** and follow screen prompts to dispense the key and vial.

Note: The pocket for the KEY will open first, then the medication.

Pyxis, Inpatient4 (K00000031968)
74 y (5/14/1950) M Location: K.4MAIN K.425/A Status: Admitted Allergies: No Known Allergies

Name/Dose	Name/Dose
Lorazepam (Ativan) 2mg/1mL (1mL) Injection Dose: 2 mg IM Frequency: PRN Last Removed: 1 Injection 12/11/2024 14:26 Williams, Danielle	Lorazepam (Ativan) 2 mg IM (2 mg/1 mL (1 mL) In) ...
hydroCHLORothiazide Dose: 25 mg PO Frequency: DAILY	Lorazepam Injection 1 Each (1 Each)
levothyroxine Dose: 12.5 mcg PO Frequency: 0600 (06:00) Administration Instructions: Administer on empty stomach (at least 30, to 60 minutes before meals...	
levothyroxine Dose: 125 mcg PO Frequency: 0600 (06:00) Administration Instructions: Administer on empty stomach (at least 30, to 60 minutes before meals...	
lisinopril Dose: 5 mg PO Frequency: DAILY	
Morphine/Sodium Chloride 0.9% PCA 1 mg/1 mL (50 mL) PCA	

Buttons: Past Removed, Med Profile, Override, Cancel, Remove Med

- **Return** lockbox key to PYXIS pocket under the patient's profile

Failure to return the key WILL PREVENT DISPENSING of this medication until the key is returned.

Removing Medication set up as a Combo Med using a System Kit- OVERRIDE OR Non PROFILE Stations

Dispensing as a kit will provide the key and vial in a single step. **This process must only be used when there is NO active order available as this is documented as an override dispense of a controlled substance.**

- Select your patient from the list or use **Facility Search** to find your patient
- Select **Override**

Name	Visit ID	Location
Pyxis, Inpatient3A 58 y (2/18/1966) F	K00000031950	K.4WEST K.449/A
Pyxis, ERFULL1 64 y (6/22/1960) F	K00000032000	K.4MAIN K.422/A
Pyxis, Inpatient1 36 y (5/18/1988) M	K00000031933	K.3WEST K.306/A
Pyxis, Inpatient2 36 y (4/18/1988) F	K00000032484	K.4MAIN K.424/A
Pyxis, Inpatient4 74 y (5/14/1950) M	K00000031968	K.4MAIN K.425/A
Pyxis, OBS 58 y (1/30/1966) M	K00000032034	K.4MAIN K.416/A
Pyxis, Restricted 69 y (4/18/1955) F	K00000032051	K.3MAIN K.327/A
Pyxis, SDS 69 y (5/18/1955) M	K00000032450	K.3WEST K.3WDL/A

- Select **System Kits**

Morphine/Sodium Chloride 0.9% PCA
1 mg/1 mL (50 mL) PCA

Past Removed Override **System Kits** Cancel Remove Med

- Select **Ativan Override**: the medication and key will populate on the right side of the screen
 - Select **Remove Med** and follow screen prompts to dispense the key and vial.
- Note: The pocket for the KEY will open first, then the medication.**

Pyxis, Inpatient4 (K00000031968)
74 y (5/14/1950) M Location: K.4MAIN K.425/A Status: Admitted Allergies: No Known Allergies

Ativan Override

Lorazepam (Ativan)
2 mg IM (2 mg/1 mL (1 mL) Inj ...

Lorazepam Injection
1 Each (1 Each)

Past Removed Med Profile Override Cancel **Remove Med**

- **Return** lockbox key to PYXIS pocket under the patient's profile

Removing Medication set up as a Combo Med using Override– OVERRIDE OR Non PROFILE Stations

This process must only be used when there is NO active order available as this is documented as an override dispense of a controlled substance

- Select your patient from the list or use **Facility Search** to find your patient
- Select **Override**

Name	Visit ID	Location
Pyxis, Inpatient3A 58 y (2/18/1966) F	K00000031950	K.4WEST K.449/A
Pyxis, ERFULL1 64 y (6/22/1960) F	K00000032000	K.4MAIN K.422/A
Pyxis, Inpatient1 36 y (5/18/1988) M	K00000031933	K.3WEST K.306/A
Pyxis, Inpatient2 36 y (4/18/1988) F	K00000032484	K.4MAIN K.424/A
Pyxis, Inpatient4 74 y (5/14/1950) M	K00000031968	K.4MAIN K.425/A
Pyxis, OBS 58 y (1/30/1966) M	K00000032034	K.4MAIN K.416/A
Pyxis, Restricted 69 y (4/18/1955) F	K00000032051	K.3MAIN K.327/A
Pyxis, SDS 69 y (5/18/1955) M	K00000032450	K.3WEST K.3WDL/A

Buttons: Remove, Past Removed, Waste, Return, **Override**, My Patients, Add Temporary Patient

- 1st Item - Type in the 5-character search ID in the search bar for the medication to be dispensed > Select medication to be dispensed. The medication and key will populate on the right side of the screen
- 2nd Item - Type in the 5-character search ID in the search bar for the medication to be dispensed (typing KEY will populate key options) > Select key to be dispensed. The key will populate on the right side of the screen.
- Select **Remove Med** and follow screen prompts to dispense the key and vial.

Note: The pocket for the KEY will open first, then the medication.

Pyxis, Inpatient4 (K00000031968)
74 y (5/14/1950) M Location: K.4MAIN K.425/A Status: Admitted Allergies: No Known Allergies

Medication: Lorazepam (Ativan)
2mg/mL (1mL) Injection
Dose: 2 mg IM Frequency: PRN
Last Removed: 1 Injection 12/11/2024 14:26 Williams, Danielle

Keys:
Lorazepam (Ativan) 2 mg IM (2 mg/1 mL (1 mL) In) ...
Lorazepam Injection 1 Each (1 Each)

Buttons: Past Removed, Med Profile, Override, Cancel, **Remove Med**

- **Return** lockbox key to PYXIS pocket under the patient's profile

Inventory a Medication set up as a Combo Med

The Combo Function does not work for inventory processes. You will still need to have the key in hand when completing an inventory of controlled substances stored in a refrigerator lock box.

- Dispense the key to a patient located on your unit. This dispense will not cross in to Meditech/Expense, create any charges or impact the patient charges in any way.
- Select your patient from the list or use **Facility Search** to find your patient
- Select **Override**

All Available Patients

Pyxis Facility Search

Name	Visit ID	Location
Pyxis, Inpatient3A 58 y (2/18/1966) F	K00000031950	K.4WEST K.449/A
Pyxis, ERFULL1 64 y (6/22/1960) F	K00000032000	K.4MAIN K.422/A
Pyxis, Inpatient1 36 y (5/18/1988) M	K00000031933	K.3WEST K.306/A
Pyxis, Inpatient2 36 y (4/18/1988) F	K00000032484	K.4MAIN K.424/A
Pyxis, Inpatient4 74 y (5/14/1950) M	K00000031968	K.4MAIN K.425/A
Pyxis, OBS 58 y (1/30/1966) M	K00000032034	K.4MAIN K.416/A
Pyxis, Restricted 69 y (4/18/1955) F	K00000032051	K.3MAIN K.327/A
Pyxis, SDS 69 y (5/18/1955) M	K00000032450	K.3WEST K.3WDL/A

Remove Past Removed Waste Return **Override** My Patients Add Temporary Patient

- Type in the 5-character search ID in the search bar for the medication to be dispensed (**Typing KEY will populate key options**) > Select key to be dispensed. The key will populate on the right side of the screen.
- Select **Remove Med** and follow screen prompts to dispense the key
- **Return** lockbox key to PYXIS pocket under the patient's profile

Failure to return the key WILL PREVENT DISPENSING of this medication using profiled orders until the key is returned

Dispensing Betamethasone injection as Fractional Units

- Select your patient from your list and select **Remove**

The screenshot shows a patient selection interface. At the top, there are search fields for 'Last Name' (containing 'pyxis'), 'First Name', and 'Visit ID', along with 'Search' and 'Available Patients' buttons. Below is a table of patients:

Name	Visit ID	Location
PyxisCC, Inpatient1 "Preferred" 37 y (4/18/1988) M	D00000006165	D.LD D.LD12/80
PyxisCC, Inpatient3A 37 y (5/18/1988) M	D00000006181	D.2F D.210/06
PyxisCC, Inpatient3A 37 y (5/18/1988) M	D00000006238	D.2F D.218/A
PyxisCC, Inpatient4 59 y (1/25/1966) M Undocumented Waste	D00000005941	D.2F D.210/62
PyxisCC, Outpatient2 37 y (4/15/1988) M	D00000006203	D.T2E D.258/A
PyxisCC, Restricted 49 y (3/22/1976) F	D00000006262	D.2C D.249/A
PyxisCC, SDC 51 y (3/2/1974) F	D00000017141	D.2F D.210/65

At the bottom, there are buttons: 'Remove', 'Past Removed', 'Waste', 'Return', 'Override', 'My Patients', and 'Add Temporary Patient'. The 'Remove' button is highlighted with a pink box, and a pink arrow points to it from the 'PyxisCC, SDC' row.

- Select your medication order from the list
- Select **Remove Med**

The screenshot shows the 'Med Profile' for 'PyxisCC, Inpatient4 (D00000005941)'. It displays patient information, allergies, and a list of medication orders. The 'Remove Med' button is highlighted with a pink box, and a pink arrow points to it from the 'Betamethasone Acetate/Na Phos' order.

Medication Orders:

- Ascorbic Acid (Vitamin C)**
500 mg Tablet
Dose: 500 mg PO Frequency: DAILY
Last Removed: Never
- Betamethasone Acetate/Na Phos (Celestone Soluspan)**
6 mg/1 mL (5 mL) Injection
Dose: 12 mg IM Frequency: Q12H
Last Removed: Never
Generic Name: Betamethasone Acetate/Na Phos
Brand Name: Celestone Soluspan
MedID: BETA6VIA2
Order# 000003712 Physician: Admitting01, Provider
Frequency: Q12H Route: IM
Start: 5/20/2025 12:00 End: 5/21/2025 21:00
- Clobetasol Propionate 0.05% Topical Cream (Temovate)**
1 applic (15 g) Tube
Dose: 1 applic Topical Frequency: One Time Order (00:01); BID (0... 21:00
Last Removed: 1 applic Tube 5/12/2025 11:00 Kísner, Jesyca Therese
Administration Instructions: For External Use Only

Dispensing Betamethasone injection as Fractional Units

- **Dispense quantity ordered and return vial to pocket – IMPORTANT: DO NOT REMOVE VIAL FROM POCKET**
**** If vial is empty, dispose in appropriate waste bin**

Remove

PyxisCC, Inpatient4 (D00000005941)
59 y (1/25/1966) M Location: D.2F D.210/62 Status: Admitted Allergies: Penicillins, Sulfa (Sulfonamide...)

Betamethasone Acetate/Na Phos (Celestone Soluspan) 6 mg/1 mL (5 mL) Injection
Dose: 12 mg
Last Removed: Never

Remove 2 mL = 12 mg
From **RS-Pkt 4**

Put back any remaining amount before closing drawer

Cancel Med **Accept**

Dispensing Nitroglycerin Tabs as Fractional Units

- Select your patient from your list and select **Remove**

All Available Patients

Last Name: First Name: Visit ID: Search Available Patients

Name	Visit ID	Location	
PyxisCC, Inpatient1 "Preferred" 37 y (4/18/1988) M	D00000006165	D.LD D.LD12/80	▼
PyxisCC, Inpatient3A 37 y (5/18/1988) M	D00000006181	D.2F D.210/06	▼
PyxisCC, Inpatient3A 37 y (5/18/1988) M	D00000006238	D.2F D.218/A	▼
PyxisCC, Inpatient4 59 y (1/25/1966) M <i>Undocumented Waste</i>	D00000005941	D.2F D.210/62	▼
PyxisCC, Outpatient2 37 y (4/15/1988) M	D00000006203	D.T2E D.258/A	▼
PyxisCC, Restricted 49 y (3/22/1976) F	D00000006262	D.2C D.249/A	▼
PyxisCC, SDC 51 y (3/2/1974) F	D00000017141	D.2F D.210/65	▼

Remove Past Removed Waste Return Override My Patients Add Temporary Patient

- Select your medication order from the list
- Select **Remove Med**

Med Profile

PyxisCC, Inpatient4 (D00000005941)
59 y (1/25/1966) M Location: D.2F D.210/62 Status: Admitted Allergies: Penicillins, Sulfa (Sulfonamide...)

Due Now (2) PRN (5) All Orders

Name/Dose	Due	Name/Dose	Due
morpine/Sodium Chloride 0.9% 1 mg/1 mL (50 mL) PCA Dose: 50 mL IV Frequency: AS DIRECTED Last Removed: 14.25 mg Injection 5/12/2025 11:00 Kisner, Jesyca Therese	▼	Nitroglycerin Sublingua... 0.4 mg Sublingual (0.4 mg/1 Tabl... PRN	▼
Nitroglycerin Sublingual (Nitrostat) 0.4 mg/1 Tablet (25 Tablet) Bottle Dose: 0.4 mg Sublingual Frequency: Q5M Last Removed: Never	PRN ▼		
Ondansetron (Zofran) 2 mg/1 mL (20 mL) Injection Dose: 4 mg IV Frequency: Q6H Last Removed: 40 mg Injection 5/12/2025 10:58 Kisner, Jesyca Therese Administration Instructions: EDIT - DOSE INSTRUCTIONS., EDIT - LABEL COMMENTS.	PRN ▼		
oxyCODONE/Acetaminophen 5/325mg (Percocet) Tablet Dose: 1 Tablet PO Frequency: Q6H Last Removed: 1 Tablet 5/12/2025 10:58 Kisner, Jesyca Therese	PRN ▼		

Past Removed Override System Kits Cancel Remove Med

Dispensing Nitroglycerin Tabs as Fractional Units

- **Dispense quantity ordered and return vial to pocket – IMPORTANT: DO NOT REMOVE VIAL FROM POCKET**
**** If vial is empty, dispose in appropriate waste bin**

Remove

PyxisCC, Inpatient4 (D00000005941)
59 y (1/25/1966) M Location: D.2F D.210/62 Status: Admitted Allergies: Penicillins, Sulfa (Sulfonamide...)

Nitroglycerin Sublingual (Nitrostat) 0.4 mg/1 Tablet (25 Tablet) Bottle
Dose: 0.4 mg
Last Removed: Never

Remove 1 Tablet = 0.4 mg
From **RS-Pkt 9**

Put back any remaining amount before closing drawer

Cancel Med **Accept**