

Clinical Reminders

ROLLING GO-LIVE
OCTOBER

Disposable BP Cuff Conversion: GE -> ROI/Regard

NCDV go-live throughout October with rolling facility start dates

HCA is transitioning all GE disposable blood pressure cuffs to ROI/Regard disposable cuffs across the North Carolina Division. Facility conversions will occur on rolling dates throughout October.



Blood Pressure Cuffs

The Regard Blood Pressure Cuff Portfolio is highly accurate and designed with patient comfort in mind. The cuffs are color-coded for quick identification and adaptable to monitors with one or two tubes.

The Regard Blood Pressure Cuffs Portfolio includes:

- » **ComfortCheck** Disposable Blood Pressure Cuffs offer patient comfort and reduce the risk of cross-contamination
- » **DuraCheck** Reusable Blood Pressure Cuffs are built to last with durable nylon material
- » **NeoCheck** Neonatal Disposable Blood Pressure Cuffs conform to the tiniest patients and are designed to last through their entire hospital stay



Connect Regard Blood Pressure Cuffs to NIBP monitors with speed and security. The new quick-connect adapter—available in single or dual-tube configurations—features a durable, streamlined design that delivers a guaranteed leak-free seal and effortless one-handed operation.



CURRENT STATE

BP monitors/hoses have distal GE BP cuff connections.

FUTURE STATE

Current hose connections will be changed/converted to accommodate ROI/Regard cuffs. GE and ROI cuffs are not interchangeable; both use proprietary connectors.



What staff and leaders should know

- Airline/ROI will support each facility conversion and change the BP cuff adaptors on affected monitors on the scheduled go-live day.
- Supply Chain will implement PAR-location changes as monitors are converted.
- Stock ROI cuffs are available through the NCD warehouse for go-live staging.
- Non-stock cuffs should be ordered directly through ROI/Regard as needed.

BEDSIDE TAKEAWAY: GE and ROI/Regard cuffs are not interchangeable. Use the cuff/connector appropriate for your facility after conversion.



Clinical Reminders

EDUCATION BOOST
ONGOING

Key Steps for Patient Belonging Management

Document disposition of patient belongings in Cerner

Primary goal: Send non-essential personal items home with a responsible adult whenever possible. If sending items home is not possible, secure essential or high-value items with Hospital Security.

SEND ITEMS HOME - PRIMARY GOAL

- Identify a responsible adult (family, friend) and send non-essential personal items such as clothes, phones, and keys home with them.
- Document the specific items sent in the appropriate Cerner documentation fields.

SECURE WITH HOSPITAL SECURITY

- Use this when sending items home is not possible for essential or high-value items such as a wallet, jewelry, hearing aids, dentures, or glasses if not worn.
- Place items in the designated hospital security envelope and follow the unit procedure for contacting Security.
- Document the items secured and the Valuables envelope number.

DOCUMENT ALL ACTIONS IN CERNER - MANDATORY

- Accurately list what items were handled and where they went/who took them for every disposition: sent home, secured, or given to the patient.
- Cerner documentation is the definitive legal record of the belongings' disposition.

HIGH-RISK SUBSTANCE USE PLAN

- If a patient has an active High Risk Substance Use plan order, a corresponding order requires removal of all personal belongings from the patient's immediate environment. These items must be secured immediately.

ALWAYS REMEMBER

- Be specific when listing items.
- If an item is needed for patient safety, such as glasses or hearing aids, attempt to keep it with the patient unless medically contraindicated.

Cerner: I-View > Notifications > Belongings

Item	Comments	Flag	Date	Performed
Medication Storage Bag Number			11/12/2025	10:24 EST
Valuables Envelope Number	123456			
Locker Number				
Searches				
Dentures				
Dentures Full				
Dentures/Partial Upper				
Dentures/Partial Lower				
Jewelry				
Body Piercing				
Bracelet				
Earrings				
Necklace	With Family			
Ring	With Family			
Watch	With Family			
Clothing				
Clothes				
Coat				
Hat				
Shoes				
Wallet	Hospital Security			
Purse				
Electronic Devices				
Cell Phone				
Other Electronic Devices				
Sensory Aids				
Glasses	With Patient			
Contact Lenses				

Independent Double Check Documentation

- Additional medications will be added to the High Alert Medication Independent Double Check (IDC) documentation requirements beginning November 4th.
- ***In addition to the current IDC requirements, medications that will prompt a co-sign in the MAR will now include:***
 - IV insulin
 - IV opioid infusions
 - Neuromuscular blocking agents
 - Hypertonic solutions (>0.9% NaCl)
 - IV push sedative agents (Ketamine, Phenobarbital)
 - Argatroban
 - TPN
 - Population Specific Requirements Remain
 - Mannitol (Pediatrics only)
 - Concentrated electrolytes (Potassium Chloride) – Pediatrics and NICU only
 - All controlled substances (NICU only)
 - Antiarrhythmics (NICU only)

Follow required IDC process and obtain a second RN co-sign in the EMR:

*Performed date / time : 10/02/2026 1445 EDT

*Performed by : Administering RN «No Matches»

*Witnessed by : Documenting RN «No Matches»

*Performed date / time : 10/02/2026 1445 EDT

*Performed by : Tran, Nhung RN, I

*Witnessed by : [Signature]

*By : [Signature]

*Volume : [Field]

*Rate (ml) : [Field]

*hePARIN IV in 1/2 : [Field]

*We : [Field]

Cerner Millennium

Username : [Field]

Password : [Field]

Domain : [Field]

OK Cancel

Refer to 1MM.MED.0001 “High Alert Medications and Independent Double Check (IDC) – Adults and Pediatrics” policy

 Clinical RemindersMISSION HOSPITAL ONLY
DCS**Mission Hospital- Discharge Courtesy Suite**HCA  Healthcare®**Please join us in the Discharge Courtesy Suite!****NURSING
STAFF****Remember to explain to the patient and/or family member, the DCS process and why the DCS is the best option!**

Our nurses are experts on discharging patients. We want to ensure you have all the things your doctor recommends for a safe and successful discharge.

A Discharge Nurse will:

- Research your medical information and create a discharge packet.
- Confirm that follow-up appointments and home health services are arranged. (If required)
- Ensure that all your medications and/or equipment are ordered and delivered before discharge.
- Determine when your next dose of medications is due.
- Review educational material related to your medical needs and recovery.
- Arrange transportation if all other options are exhausted.

The RN will then educate you on any details your doctor wants you to know, along with any expectations and/or restrictions for a speedy recovery.

Let your nurse know upon introduction if valet services were used, so we can arrange for the car to be at Entrance 5 at time of discharge.

Please let the staff know...

- If you would like any refreshments while you wait.
- Require any as needed medications.
- Have any IVs that need to be removed.

**Thank you for allowing the DCS to be the last stop of your hospital stay here at
Mission Health!**



Clinical Reminders

GO LIVE
OCT 28

Maternal Early Warning Trigger (MEWT) Alert

New close-chart alert for pregnant patients

A new close-chart alert will fire when certain criteria are met on pregnant patients. It will use the last charted value and populate documented items that meet the criteria. Once documentation meets normal values, the item will no longer show on the alert.

ALERT CRITERIA INCLUDE

- Systolic BP <90 or >160 mmHg
- Diastolic BP >100 mmHg
- Heart rate <50 or >120 bpm
- Respiratory rate >24/min
- WBC <4K or >15K
- Oxygen saturation <95%
- Urine output <35 mL/hr over the previous two hours
- Gestational HTN Neuro Symptoms = Headache, epigastric pain
- Respirations = Dyspneic at rest, dyspneic upon exertion, grunting, labored, nasal flaring, orthopnea
- Orientation = Disoriented x 4

Documents: Close Chart - D230, MEWS2 (1 of 1) "Maternal Early Warning Criteria"

Maternal Early Warning Criteria

Press ALT+F6 to tab out of content or CTRL+Tab to skip content

D230, MEWS2 has met the following criteria for the Maternal Early Warning Score. Please notify a provider of the patient's condition.

Systolic Blood Pressure : 175

Diastolic Blood Pressure : 110

Heart Rate : 49

Temperature Fahrenheit : 100.4

Respiratory Rate : 26

Oxygen Saturation : 93

Urine Output is less than 35 mL/hr in the previous 2 hrs

Gestational HTN Neuro Symptoms : Epigastric Pain, Headache

OK

☐ Provide Feedback

PATIENT CRITERIA

- Current pregnancy documented in Cerner
- Inpatient, Observation, Emergency, Outpatient, or Outpatient Bedded encounter
- Female patient, age 8-70 years

Why this is changing

Improve maternal safety by standardizing surveillance practices, increasing awareness of maternal risk factors, and supporting rapid escalation of care when warning signs of maternal deterioration are identified.

WHAT IS NOT CHANGING: Existing processes for recognition, communication, and escalation of clinical concerns remain unchanged.