
# Communicating with Imaging Departments



When communicating with Imaging Departments (CT, X-Ray, MRI, Nuc Med, Ultrasound) nurses should use iMobile.

- □ Do <u>not</u> call the department desk phone. Staff are not stationed at this phone.
- □ All imaging departments will show up in iMobile when searching imaging.
  - Contacts- Dynamic Role Hospital- Search Imaging
- Search Imaging Services Coordinator only for escalation needs. There is someone logged into this role 24x7.
  - □ Contacts- Dynamic Role Hospital- Imaging Services Coordinator





### **CHG Bathing and Deodorant Use**

- CHG Bathing has been proven to reduce infections and is recommended for many hospitalized patients.
- □ CHG bathing applies a protective film on the skin that neutralizes the bacteria on the skin and reduces the risk of infection.
- CHG bathing is the standard for pre-surgery prep and patients with central lines.
- Deodorant was removed from Omni-cells due to incompatibility with CHG. Deodorant will render the CHG ineffective in reducing bacteria on the skin.
- If your patient asks for deodorant, you should offer CHG wipes to clean the underarm area. This will neutralize the odor causing bacteria and reduce smell.
- Patients not requiring CHG treatment may use their own deodorant from home.









### **Use of Sterile Ultrasound Gel**

- Always use single-use, sterile ultrasound gel for:
  - Percutaneous Procedures:
    - Central & peripheral IV line placement
    - Amniocentesis
    - Paracentesis
    - Tissue biopsy
    - Surgical procedures
  - Non-intact skin (e.g., wounds, abrasions)
  - Fresh surgical sites



- Do NOT Use Nonsterile Gel (bottled ultrasound gel)
  - Never use nonsterile bottled ultrasound gel for procedures involving skin puncture or surgical sites.
  - Do not use nonsterile ultrasound gel for pre-procedure visualization
- Best Practice
  - Always use single-use packets of sterile ultrasound gel
  - Use sterile probe covers whenever feasible
  - Check expiration dates and packaging integrity
- Why It Matters
  - Outbreak Alert: Burkholderia stabilis infections have been linked to contaminated nonsterile, multiuse ultrasound gel.
  - These infections can be serious and preventable with proper gel selection and usage.







## Care Experience | AIDET



"I want you to understand and feel safe."

Colleagues • Patients • Visitors











#### **Care Out Loud**

Part of Compassionate Connected Care is recognizing healthcare can be scary for patients and their loved ones.



It is our responsibility to recognize and address all forms of suffering, not just the obvious.

Clearly and kindly explaining throughout a person's care **what we are doing and why** - from the diagnosis and care plan, down to the details of asking permission to take the patient's vitals- is the key to reducing anxiety and suffering.



Always check for understanding "What questions do you have?"







### **Entering a BioMed Ticket**

Broken equipment should always be taken out of service, <u>cleaned</u>, tagged, and a Biomed Ticket should be entered in Service Central.

- ☐ To enter a ticket via Service Central for broken equipment follow these steps:
- Login to Service Central
- Select Biomed
- 3. Complete all the required fields
- Add the hospital where the equipment is located
- Add contact information: Use Main Unit #
- Enter the GE Healthcare control number
  - If unknow, describe why it is not present (e.g. new equipment)

- Describe the issue: include where the equipment is located
- 8. Select if the issue is impacting a patient
- Add other pertinent information and be specific (e.g. "SPO2 not working" or error code message receive)
  - Do not just add "broken"





CONFIDENTIAL – Contains proprietary information. Not intended for external distribution.